Computational Linguistics: Syntax I

RAFFAELLA BERNARDI

KRDB, FREE UNIVERSITY OF BOZEN-BOLZANO P.ZZA DOMENICANI, ROOM: 2.28, E-MAIL: BERNARDI@INF.UNIBZ.IT

Contents

1	Reminder	5		
2	Syntax			
3	Dependency 8			
4	Long-distance Dependencies			
	4.1 Relative Pronouns 1	0		
	4.2 Coordination 1	1		
5	Formal Approaches 1	2		
6	Sentence Structures: English 1	3		
	6.1 Exercises 14	4		
7	Syntax Recognizer 1	5		
	7.1 NLs are not RL: Example I 10	6		
	7.2 NLs are not RL: Example II 1	7		
8	FSA for syntactic analysis			
9	Formal Grammar: Terminology 2	0		
	9.1 Formal Grammars: Definition 2	1		
	9.2 Derivations	2		
	9.3 Formal Languages and FG 2	3		

	9.4 FG and Regular Languages	24		
	9.5 FSA and RG	25		
10	Context Free Grammars	26		
11	CFG: Formal Language	27		
12	CFG: More derivations			
	12.1 CFG: Language Generated	29		
13	FG for Natural Languages	30		
14	PSG: English Toy Fragment	32		
15	English Toy Fragment: Strings 33			
16	English Toy Fragment: Phrase Structure Trees 3			
17	Extending our grammar 3			
18	Recursion			
19	Summing up (I)	37		
20	Summing up (II)	38		
21	Overgeneration and Undergeneration	39		
22	Undergeneration			
	22.1 Undergeneration (Cont'd)	42		
23	Trasformational Grammar			
	23.1 Trasformational Grammars: Relative Clauses	44		

24	Next Steps		45
----	------------	--	----

1. Reminder

Main issues of Wednesday lecture:

- ▶ Different levels of Natural Language
 - 1. Phonology
 - 2. Morphology
 - 3. Syntax
 - 4. Semantics
 - 5. Discourse
 - 6. Pragmatics

▶ Linguistically motivated computational models. For any topic:

- 1. Linguistic Theory
- 2. Formal Analysis
- 3. Implementation

▶ Linguistic Theories

1. Morphology: Stems vs. Affixes; Inflectional and derivational forms.

2. PoS: classes (categories) of words

▶ Natural Language as Formal Language

- 1. Morphology can be formalized by means of Regular Languages and as such modeled by FSA.
- 2. FSA cannot handle "Dependency" $(a^n b^n, \text{ cannot count})$

Implementation

2. Syntax

- ▶ Syntax: "setting out things together", in our case things are words. The main question addressed here is "*How do words compose together to form a grammatical sentence (s) (or fragments of it)?*"
- ▶ Constituents: Groups of categories may form a single *unit or phrase* called constituents. The main phrases are noun phrases (*np*), verb phrases (*vp*), prepositional phrases (*pp*). Noun phrases for instance are: "she"; "Michael"; "Rajeev Goré"; "the house"; "a young two-year child".

Tests like substitution help decide whether words form constituents.

Another possible test is coordination.

3. Dependency

Dependency: Categories are interdependent, for example

Ryanair services [Pescara]_{np}Ryanair flies [to Pescara]_{pp}*Ryanair services [to Pescara]_{pp}*Ryanair flies [Pescara]_{np}

the verbs services and flies determine which category can/must be juxtaposed. If their constraints are not satisfied the structure is ungrammatical.

4. Long-distance Dependencies

Interdependent constituents need not be juxtaposed, but may form long-distance dependencies, manifested by gaps

▶ What cities does Ryanair service [...]?

The constituent what cities depends on the verb service, but is at the front of the sentence rather than at the object position.

Such distance can be large,

- ▶ Which flight do you want me to book [...]?
- Which flight do you want me to have the travel agent book $[\ldots]$?
- ▶ Which flight do you want me to have the travel agent nearby my office book [...]?

4.1. Relative Pronouns

Relative Pronoun (eg. who, which): they function as e.g. the subject or object of the verb embedded in the relative clause (rc),

- $\blacktriangleright \quad [[\text{the [student [who [...] knows Sara]}_{rc}]_n]_{np} \ [\text{left}]_v]_s.$
- ▶ [[the [book [which Sara wrote $[...]]_{rc}]_n]_{np}$ [is interesting] $_v]_s$.

Can you think of another relative pronoun?

4.2. Coordination

Coordination: Expressions of the same syntactic category can be coordinated via "and", "or", "but" to form more complex phrases of the same category. For instance, a coordinated verb phrase can consist of two other verb phrases separated by a conjunction:

▶ There are no flights [[leaving Denver]_{vp} and [arriving in San Francisco]_{vp}]_{vp}

The conjuncted expressions belong to traditional constituent classes, vp. However, we could also have

▶ I [[[want to try to write [...]] and [hope to see produced [...]]] [the movie]_{np}]_{vp}"

Again, the interdependent constituents are disconnected from each other.

Long-distance dependencies are **challenging phenomena** for formal approaches to natural language analysis. We will study them in the second part of the course (November).

5. Formal Approaches

To examine how the syntax of a sentence can be computed, you must consider two things:

- 1. **The grammar**: A formal specification of the structures allowable in the language. [Data structures]
- 2. The parsing technique: The method of analyzing a sentence to determine its structure according to the grammar. [Algorithm]

6. Sentence Structures: English

The structure of a sentences can be represented in several ways, the most common are the following notations: (i) brackets or (ii) trees. For instance, "John ate the cat" is a sentence (s) consisting of noun phrase (np) and a verb phrase (vp). The noun phrase is composed of a verb (v) "ate" and an np, which consists of an article (art) "the" and a common noun (n) "cat".

 $[\text{John}_{np} [\text{ate}_v [\text{the}_{art} \text{cat}_n]_{np}]_{vp}]_s$

Give the tree representation of this structure.

6.1. Exercises

Now represent in the format you prefer the sentences below:

- I like a red shirt
- I will leave Boston in the morning.
- John saw the man with the telescope.
- John thinks someone left.

7. Syntax Recognizer

In lecture 1, we have used FSA to recognize/generate natural language morphology, and FSA can be used to concatenate words, i.e. at the syntactic level.

We have said that FSA recognize/generate "Regular Languages". But it has been shown that at the **syntactic level NLs are not regular**.

7.1. NLs are not RL: Example I

1. The cat died.

- 2. The cat the dog chased died.
- 3. The cat the dog the rat bit chased died.

4. ...

Let, determiner+noun be in the set $A : \{$ the cat, the dog, ... $\}$, and the transitive verbs in $B : \{$ chased, bit, ... $\}$. Thus the strings illustrated above are all of the form:

 $x^n y^{n-1}$ died, where $x \in A$ and $y \in B$, which can be proved to be not a RL.

7.2. NLs are not RL: Example II

Another evidence was provided by Chomsky in 1956. Let S_1, S_2, \ldots, S_n be declarative sentences, the following syntactic structures are grammatical English sentences:

- ▶ If S_1 , then S_2
- Either S_3 , or S_4
- ▶ The man who said S_5 is arriving today

In each case there is a lexical dependency between one part of each structure and another. "If" must be followed by "then" "either" must be followed by "or".

Moreover, these sentences can be embedded in English one in another.

If either the man who said S_5 is arriving today or the man who said S_5 is arriving tomorrow, then the man who said S_6 is arriving the day after. Let

if $\rightarrow a$ then $\rightarrow a$ either $\rightarrow b$ or $\rightarrow b$ other words $\rightarrow \epsilon$

The sentence above would be represented as *abba*.

This structure of nested dependencies can be represented more generally by a language like xx^R with $x \in \{a, b\}^*$ and R denoting the reversal of the string x. (Eg. *abbabbabba*) We can prove via the Pumping Lemma that this language is not in a regular language.

Again, this is an example of open and closed balanced parentheses (or **nested dependencies**) that are not in RL.

8. FSA for syntactic analysis

Finite state methods have been applied to syntactic analysis too. Although they are not expressive enough if a full syntactic analysis is required, there are many applications where a partial syntactic analysis of the input is sufficient.

Such partial analyses can be constructed with cascades of finite state automata (or rather **transducers**) where one machine is applied to the output of another.

Anyway, in order to deal with syntactic analysis of natural language we need **a more powerful device than FSA** (and of their corresponding formal grammars, namely regular (or right linear) grammar (RG).)

9. Formal Grammar: Terminology

Formal Grammars are string **re-write systems**. The re-write rules say that a certain sequence of symbols may be substituted by another sequence of symbols. These symbols are divided into two classes:

▶ terminal: symbols that will appear in the string of the language generated by the grammar.

• non-terminal: symbols that will be used only in the re-write process.

9.1. Formal Grammars: Definition

A Formal Grammar (FG) is a formalism to give a finite representation of a Language. A Grammar, G, is a tuple: $G = (V_T, V_N, S, P)$, such that:

- \triangleright V_T is the finite set of Terminal Symbols.
- \triangleright V_N is the finite set of Non-Terminal Symbols.
- ▶ Terminal and Non-Terminal symbols give rise to the alphabet: $V = V_T \cup V_N$.
- ▶ Terminal and Non-Terminal symbols are disjoint sets: $V_T \cap V_N = \{\}$.
- ▶ S is the start symbol (Scope) of the Language, and $S \in V_N$.
- ▶ P is the finite set of Productions, $P = \{ \alpha \to \beta \mid \alpha \in V^+ \land \beta \in V^* \}.$

9.2. Derivations

To characterize a Language starting from a Grammar we need to introduce the notion of Derivation.

- ▶ The notion of Derivation uses Productions to generate a string starting from the Start symbol S.
- ▶ Direct Derivation (in symbols \Rightarrow)). If $\alpha \rightarrow \beta \in P$ and $\gamma, \delta \in V^*$, then $\gamma \alpha \delta \Rightarrow \gamma \beta \delta$).
- ► Derivation (in symbols \Rightarrow^*)). If $\alpha_1 \Rightarrow \alpha_2, \alpha_2 \Rightarrow \alpha_3, \ldots, \alpha_{n-1} \Rightarrow \alpha_n$, then $\alpha_1 \Rightarrow^* \alpha_n$.

9.3. Formal Languages and FG

A string belongs to a Language if and only if:

- 1. The string is made only of Terminal Symbols;
- 2. The string can be Derived from the Start Symbol, S, of the Language.

Generative Definition of a Language We say that a Language L is generated by the Grammar G, in symbols L(G), if:

$$L(G) = \{ w \in V_T^* \mid S \Rightarrow^* w \}.$$

9.4. FG and Regular Languages

We have said that the languages generated/recognized by a FSA are called "Regular Languages". The formal grammars that generate/recognize these languages are known as "Regular Grammar" (RG) or Right Linear Grammars. (or Left Linear Grammar).

Regular Grammars have rules of the form:

 $\blacktriangleright A \to xB$

 $\blacktriangleright A \to x$

where A and B are non-terminal symbols and x is any string of terminals (possibly empty). Moreover, a rule of the form: $S \to \epsilon$ is allowed if S does not appear on the right side of any rule.

9.5. FSA and RG

The association between FSA and RG is straight:

RG	FSA
$A \to xB$	from state A to state B reading x
$A \to x$	from state A reading x to a designed final state.
start symbol	initial state.

As in FSA, the string already generated/recognized by the grammar has no influence on the strings to be read in the future (no memory!).

See Artale's Course "Compiler" for more details.

10. Context Free Grammars

Formal Grammar **more powerful** than Regular Grammars are Context Free Grammars (CFG).

These grammars are called **context free** because all rules contain only one symbol on the left hand side — and wherever we see that symbol while doing a derivation, we are free to replace it with the stuff on the right hand side. That is, the 'context' in which a symbol on the left hand side of a rule occurs is unimportant — we can always use the rule to make the rewrite while doing a derivation.

There are **more expressive kinds of grammars**, with more than one symbol on the left hand side of the rewrite arrow, in which the symbols to the right and left have to be taken into account before making a rewrite. Such grammars are linguistically important, and we will study them in November.

A language is called context free if it is generated by some context free grammar.

Well known CFG are Phrase Structure Grammars (PSG) also known as Context Free Phrase Structure Grammars and they are based on rewrite rules. They can be used for both understanding and generating sentences.

11. **CFG**: Formal Language

Let's start by using simple grammars that generate formal languages. E.g., take the grammar below.

RulesRule 1 $S \rightarrow A \ B$ Rule 2 $S \rightarrow A \ S \ B$ Rule 3 $A \rightarrow a$ Rule 4 $B \rightarrow b$

the above grammar lets us rewrite 'S' to 'aabb'. Try it your self!

S ASB Rule 2 aSB Rule 3 aSb Rule 3 aABb Rule 4 aABb Rule 3 aabb Rule 4

Such a sequence is called a **derivation** of the symbols in the last row, in this case, i.e. a derivation of the string 'aabb' $(S \Rightarrow^* aabb)$.

12. **CFG**: More derivations

Note that there may be many derivations of the same string. For example,

S ASB Rule 2 ASb Rule 4 aSb Rule 3 aABb Rule 1 aAbb Rule 4 aabb Rule 3

is another derivation of 'aabb'.

12.1. CFG: Language Generated

The above grammar generates the language $a^n b^n - \epsilon$ (the language consisting of all strings consisting of a block of *a*'s followed by a block of *b*'s of equal length, except the empty string).

If we added the rule $S \to \epsilon$ to this grammar we would generate the language $a^n b^n$. Therefore, these two languages **are context free**.

On the other hand, $a^n b^n c^n$ is not. That is, no matter how hard you try to find CFG rules that generate this language, you won't succeed. No CFG can do the job. The same holds for, e.g. $a^n b^m c^n d^m$.

Again, there are formal ways to prove whether a language is or is not context free.

13. FG for Natural Languages

Now we will move to see how CFG have been applied to natural language. To this end, it is convenient to distinguish rules from non-terminal to terminal symbols which define the lexical entries (or lexicon).

- ▶ Terminal: The terminal symbols are **words** (e.g. sara, dress ...).
- ▶ Non-terminal: The non-terminal symbols are syntactic **categories** (CAT) (e.g. *np*, *vp*, ...).
- \blacktriangleright Start symbol: The start symbol is the *s* and stands for sentence.

The production rules are divided into:

- ▶ Lexicon: e.g. $np \rightarrow sara$. They form the set LEX
- ▶ Grammatical Rules: They are of the type $s \rightarrow np \ vp$.

Alternative notation The lexicon and the derivation can also be written as below: $np \rightarrow sara \text{ is also written as } \langle sara, np \rangle$

A derivation of a sequence of words w_1, \ldots, w_n from the start symbol will be represented as,

 $\langle w_1 \dots w_n, s \rangle$

14. **PSG:** English Toy Fragment

We consider a small fragment of English defined by the following grammar $G = \langle \text{LEX}, \text{Rules} \rangle$, with vocabulary (or alphabet) V and categories CAT.

Among the elements of the language recognized by the grammar, L(G), are

- \blacktriangleright (the, det) because this is in the lexicon, and
- \blacktriangleright (Sara wears the new dress, $s\rangle$ which is in the language by repeated applications of rules.


15. English Toy Fragment: Strings

 $\langle {\rm Sara\ wears\ the\ new\ dress}, s \rangle$ is in the language. Try to prove it your self.

(1)
$$\langle \text{new dress}, n \rangle \in L(G) \text{ because}$$

 $n \to adj \ n \in \text{Rules},$
 $\langle \text{new}, adj \rangle \in L(G) \ (\text{LEX}), \text{ and}$
 $\langle \text{dress}, n \rangle \in L(G) \ (\text{LEX})$
(2) $\langle \text{the new dress}, np \rangle \in L(G) \text{ because}$
 $np \to det \ n \in \text{Rules},$
 $\langle \text{the}, det \rangle \in L(G) \ (\text{LEX}), \text{ and}$
 $\langle \text{new dress}, n \rangle \in L(G) \ (1)$
(3) $\langle \text{wears the new dress}, vp \rangle \in L(G) \text{ because}$
 $vp \to v \ np \in \text{Rules},$
 $\langle \text{wears}, v \rangle \in L(G) \ (\text{LEX}), \text{ and}$
 $\langle \text{the new dress}, np \rangle \in L(G) \ (2)$
(4) $\langle \text{Sara wears the new dress}, s \rangle \in L(G) \text{ because}$
 $s \to np \ vp \in \text{Rules},$
 $\langle \text{Sara}, np \rangle \in L(G) \ (\text{LEX}), \text{ and}$
 $\langle \text{wears the new dress}, vp \rangle \in L(G) \ (3)$

Now try to build the structure of the parsed string.



16. English Toy Fragment: Phrase Structure Trees

17. Extending our grammar

Try to extend your grammar so to deal with the sentence you have analyzed before and which are repeated below.

She likes a read shirt.

I will leave Boston in the morning.

John saw the man with the telescope.

John gave Mary a read shirt.

18. Recursion

Which rule do we need to generate the phrases below?

- 1. the flight to Boston
- 2. the flight to Boston from Miami
- 3. the flight to Boston from Miami in February
- 4. the flight to Boston from Miami in February on Friday

np --> np pp

I.e. a recursive rule, it contains the same category on the left and the right side.

19. Summing up (I)

We have seen that

- ► There is a close correspondence between **parse trees** and **derivations**: every derivation corresponds to a parse tree, and every parse tree corresponds to (maybe many) derivations.
- ▶ PSG, besides deciding whether a string belongs to a given language, deals with phrase structures represented as trees.
- ► An important difference between strings and phrase structures is that whereas string concatenation is assumed to be associative, trees are bracketed structures.
- ▶ Thus trees preserve aspects of the compositional (constituent) structure or derivation which is lost in the string representations.

20. Summing up (II)

- ► The language generated by a grammar consists of all the strings that the grammar classifies as grammatical.
- ► A CFG recognizer is a program that correctly tells us whether or not a string belongs to the language generated by a PSG.
- ► A CFG parser is a program that correctly decides whether a string belongs to the language generated by a CFG and also tells us what its structure is.
- ► A Context Free Language is a language that can be generated by a CFG.

21. Overgeneration and Undergeneration

We would like the Formal Grammar we have built to be able to recognize/generate **all and only** the grammatical sentences.

- ▶ Overgeneration: If the FG generates as grammatical also sentences which are not grammatical, we say that it overgenerates.
- ▶ Undergeration: If the FG does not generate some sentences which are actually grammatical, we say that it undergenerates.

For instance, can the CFG we have built distinguish the sentences below?

- 1. She likes a read shirt
- 2. *She like a read shirt
- 3. I like him
- 4. *I like he

In the next two hours, we will see how to enrich CFG so to deal with such differences, namely how to deal with **agreements** (overgeneration).

22. Undergeneration

Context free rules work **locally**. For example, the rule

 $s \to np \ vp$

tells us how an s can be decomposed into two parts, an np and a vp.

But we have seen that certain aspects of natural language seem to work in a nonlocal, **long-distance way**. Indeed, for a long time it was thought that such phenomena meant that grammar-based analyses had to be replaced by very powerful new mechanisms

22.1. Undergeneration (Cont'd)

Consider these two English np. First, an np with an object relative clause:

"The witch who Harry likes".

Next, an np with a subject relative clause:

"Harry, who likes the witch."

What is their syntax? That is, how do we build them?

Today we will briefly see a fairly traditional explanation in terms of movement, gaps, extraction, and so on. In the second part of the course, we will look into more modern approaches.

23. Trasformational Grammar

The traditional explanation basically goes like this. We have the following sentence:

Harry likes the witch

We can think of the np with the object relative clause as follows.

the witch who Harry likes GAP(np)

That is, we have

- 1. extracted the np "the witch" from the object position, leaving behind an npgap,
- 2. **moved** it to the front, and
- 3. placed the relative pronoun "who" between it and the gap-containing sentence.

23.1. Trasformational Grammars: Relative Clauses

Recall: Relative clauses are an example of **unbounded dependencies**. The word 'dependency' indicates that the moved np is linked, or depends on, its original position. The word 'unbounded' is there because this "extracting and moving" operation can take place across arbitrary amounts of material. For example, from

| | a boy, who a witch who Harry likes, likes GAP(np)

24. Next Steps

We said that to examine how the syntax of a sentence can be computed, we must consider two things:

- 1. **The grammar**: A formal specification of the structures allowable in the language. [Data structures]
- 2. The parsing technique: The method of analyzing a sentence to determine its structure according to the grammar. [Algorithm]

We have seen 1. today, we will look at 2. next Wednesday.